

Town of Carlisle
Office of
CONSERVATION COMMISSION
66 Westford Street
Carlisle, Massachusetts 01741

Agenda

January 10, 2013 - 7:30 PM

- 7:30 – 8:00** **Bills, Minutes, General Agenda Items & New/Pending or Old Business**
- 8:00 – 8:15** **(DEP #125-0933) Notice of Intent, Continued Hearing**
Applicant: Norma Read
Project Location: 103 Indian Hill
Project Description: Installation of a septic tank, pump chamber, distribution box and grading associated with a soil absorption system
- (DEP #125-0932) Notice of Intent, Continued Hearing**
Applicant: Grace Tilton
Project Location: 400 Concord Street
Project Description: Demolition of an existing garage, construction of a new, larger garage and associated paving and grading
- 8:15** **Brem Conservation Cluster - 100 Long Ridge Road**
- Steve Tobin, CCF**
Re: Elliott Preserve Acquisition update, CPC application and Conservation Fund request

New /Pending Business:

- 1). COCs: None
- 2). Cranberry Bog Farming Agreement Committee
- 3). Benfield Conservation Land Maintenance
- 4). FY 14 Budget Process
- 5). Chelmsford Water District well field update.
- 6). CPC Application - Elliott Preserve and Conservation Fund support
- 7). Meeting with FinCom concerning maintenance line item
- 8). 2012 Town Report - due 2/1/2013
- 9). Possible stream gage for Cranberry Bog/River Meadow Brook

Old and Ongoing Business:

- 1). Maintenance of field edges
- 2). Cranberry Bog Coordination Committee-Meeting, Monday, January 28, 7:00 pm.
- 3). Buffer Zone discussion
- 4). Towle Field Management for Invasive/nascence plants & planting plan
- 5). Invasive Plants management on private properties
Westford Conservation Commission's approach
- 6). Siltation barriers
- 7). Carlisle Standard Orders of Conditions revision

*The meeting agenda lists all topics reasonably anticipated by the Conservation Commission at the time of posting. Additional topics not anticipated may be discussed at the meeting under the agenda item New/Pending Business.

This meeting is subject to recording for the purpose of accuracy of minutes.